L Number	Hits	Search Text	DB	Time stamp
1	503	455/419.ccls.	USPAT;	2004/04/05
*	303	1007 113.0010.	US-PGPUB	13:03
2	337318	(transfer\$3 or send\$3 or deliver\$3) with	USPAT;	2004/04/05
		(response or data or message)	US-PGPUB	13:04
3	371	455/419.ccls. and ((transfer\$3 or send\$3	USPAT;	2004/04/05
		or deliver\$3) with (response or data or	US-PGPUB	13:04
		message))		
-	966	455/557.ccls.	USPAT;	2004/04/02
	20401	d and a second s	US-PGPUB	15:53
-	39401	(response or prerecorded or pre?recorded)	USPAT;	2004/04/02
	136	with message 455/557.ccls. and ((response or	US-PGPUB USPAT;	15:53 2004/04/02
_	136	prerecorded or pre?recorded) with	US-PGPUB	15:11
		message)	03-16-05	13.11
_	96	(455/557.ccls. and ((response or	USPAT;	2004/04/02
		prerecorded or pre?recorded) with	US-PGPUB;	15:56
		message)) and @ad<20000630	EPO; JPO;	
			DERWENT;	
- 20		, in the second	IBM_TDB	
-	395	455/556.1.ccls.	USPAT;	2004/04/02
			US-PGPUB	15:53
-	65017	(response or prerecorded or pre?recorded	USPAT;	2004/04/05
		or answer\$3 or repl\$3) with (message or	US-PGPUB	09:41
_	114	call) 455/556.1.ccls. and ((response or	HCDAT.	2004/04/02
_	114	prerecorded or pre?recorded or answer\$3	USPAT; US-PGPUB	2004/04/02 15:56
		or repl\$3) with (message or call))	03~PGPUB	13.36
_	2	5898904.pn.	USPAT;	2004/04/02
	_		US-PGPUB;	18:21
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	1
-	2	6329902.pn.	USPAT;	2004/04/02
			US-PGPUB;	18:22
			EPO; JPO;	1
			DERWENT; IBM TDB	
_	2	6553228.pn.	USPAT;	2004/04/03
	2	0000220.pm.	US-PGPUB;	15:12
İ			EPO; JPO;	10.12
			DERWENT;	
			IBM TDB	
-	10083	'TAD' or (answering near (machine or	USPAT;	2004/04/03
		device or unit))	US-PGPUB;	10:33
			EPO; JPO;	
			DERWENT;	
_	416917	download\$3 or 'look up' or retriev\$3	IBM_TDB USPAT;	2004/04/03
	41021/	downtoadas of took db. of tectiesas	USPAT; US-PGPUB;	10:35
			EPO; JPO;	10.33
			DERWENT;	
			IBM TDB	
-	305644	(mobile or cellular or radio or portable	USPAT;	2004/04/03
		or cell) near (phone or telephone or unit	US-PGPUB;	11:02
		or device)	EPO; JPO;	
			DERWENT;	
_	E 277	/outroins nearly /magesse as success	IBM_TDB	2004/04/02
_	5371	(outgoing near2 (message or greeting or announc\$5)) or 'OGM' or (answer\$3 with	USPAT;	2004/04/03
		greeting)	US-PGPUB; EPO; JPO;	10:32
		grocerity/	DERWENT;	
			IBM TDB	
-	139	((mobile or cellular or radio or portable	USPAT;	2004/04/03
		or cell) near (phone or telephone or unit	US-PGPUB;	10:53
		or device)) with ((outgoing near2	EPO; JPO;	
		(message or greeting or announc\$5)) or	DERWENT;	
i		'OGM' or (answer\$3 with greeting))	IBM TDB	1

• •

-	649	('TAD' or (answering near (machine or	USPAT;	2004/04/03
		device or unit))) same (download\$3 or	US-PGPUB;	10:41
		'look up' or retriev\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2024/04/02
-	9	(((mobile or cellular or radio or	USPAT;	2004/04/03
		portable or cell) near (phone or	US-PGPUB;	10:41
		telephone or unit or device)) with	EPO; JPO;	
		((outgoing near2 (message or greeting or	DERWENT;	
		announc\$5)) or 'OGM' or (answer\$3 with	IBM_TDB	
		greeting))) and (('TAD' or (answering		
		near (machine or device or unit))) same		
	2200274	(download\$3 or 'look up' or retriev\$3))		2004/04/03
-	2390274	(outgoing near2 (message or greeting or	USPAT;	2004/04/03
		announc\$5)) or 'OGM' or (answer\$3 with	US-PGPUB;	10:53
		greeting) or response or repl\$4 or	EPO; JPO;	
		respond\$3	DERWENT;	
	12700	//mahila an mallulan an mali	IBM_TDB	2004/04/02
-	12700	((mobile or cellular or radio or portable	USPAT;	2004/04/03
		or cell) near (phone or telephone or unit	US-PGPUB;	10:54
		or device)) with ((outgoing near2	EPO; JPO;	
		(message or greeting or announc\$5)) or	DERWENT;	
		'OGM' or (answer\$3 with greeting) or	IBM_TDB	
1_	19	response or repl\$4 or respond\$3)	IIGDAM.	2004/04/03
-	19	1 ()	USPAT;	
		device or unit))) same (download\$3 or	US-PGPUB;	10:54
		'look up' or retriev\$3)) and (((mobile or	EPO; JPO;	
		cellular or radio or portable or cell) near (phone or telephone or unit or	DERWENT;	
			IBM_TDB	
		device)) with ((outgoing near2 (message or greeting or announc\$5)) or 'OGM' or		
		(answer\$3 with greeting) or response or		
		repl\$4 or respond\$3))		
_	10	((('TAD' or (answering near (machine or	USPAT;	2004/04/03
	10	device or unit))) same (download\$3 or	US-PGPUB;	10:54
		'look up' or retriev\$3)) and (((mobile or	EPO; JPO;	10.54
		cellular or radio or portable or cell)	DERWENT;	
		near (phone or telephone or unit or	IBM TDB	
		device)) with ((outgoing near2 (message	1511_155	
		or greeting or announc\$5)) or 'OGM' or		
		(answer\$3 with greeting) or response or		
		repl\$4 or respond\$3))) not (((mobile or		
		cellular or radio or portable or cell)		
		near (phone or telephone or unit or		
		device)) with ((outgoing near2 (message		
		or greeting or announc\$5)) or 'OGM' or		
		(answer\$3 with greeting))) and (('TAD' or		
		(answering near (machine or device or		
		unit))) same (download\$3 or 'look up' or		
		retriev\$3)))		
-	1628	((mobile or cellular or radio or portable	USPAT;	2004/04/03
		or cell) near (phone or telephone or unit	US-PGPUB;	18:01
		or device)) near2 conn\$6 near2 (cable or	EPO; JPO;	
		'PC' or computer)	DERWENT;	
			IBM_TDB	
-	1220	((mobile or cellular or radio or portable	USPĀT;	2004/04/03
		or cell) near (phone or telephone or unit	US-PGPUB;	11:05
		or device)) near2 conn\$6 near2 ('PC' or	EPO; JPO;	
		computer)	DERWENT;	
			IBM_TDB	
-	596	((outgoing near2 (message or greeting or	USPAT;	2004/04/03
		announc\$5)) or 'OGM' or (answer\$3 with	US-PGPUB;	11:06
		greeting) or response or repl\$4 or	EPO; JPO;	
		respond\$3) and (((mobile or cellular or	DERWENT;	
		radio or portable or cell) near (phone or	IBM_TDB	
		telephone or unit or device)) near2 conn\$6 near2 ('PC' or computer))		
		CODDSh Desry ('UC' or computer)	ı	ı

-	11178	((mobile or cellular or radio or portable		2004/04/03
		or cell) near (phone or telephone or unit	US-PGPUB;	11:07
		or device)) near2 ((mobile or cellular or	EPO; JPO;	
		radio or portable or cell) near (phone or	DERWENT;	
	170	telephone or unit or device))	IBM_TDB	0004/04/02
-	178	(((outgoing near2 (message or greeting or	USPAT;	2004/04/03
		announc\$5)) or 'OGM' or (answer\$3 with	US-PGPUB;	11:07
		greeting) or response or repl\$4 or	EPO; JPO;	
		respond\$3) and (((mobile or cellular or	DERWENT;	
		radio or portable or cell) near (phone or	IBM_TDB	1
		telephone or unit or device)) near2 conn\$6 near2 ('PC' or computer))) and		
		(((mobile or cellular or radio or		
		portable or cell) near (phone or		
		telephone or unit or device)) near2		
		((mobile or cellular or radio or portable		
		or cell) near (phone or telephone or unit	į	
		or device)))		
_	111367	(stor\$3 or sav\$3 or cach\$3) near5	USPAT;	2004/04/03
		(remote\$2 or external\$3)	US-PGPUB;	18:00
			EPO; JPO;	
			DERWENT;	
1.			IBM_TDB	
-	65017	(response or prerecorded or pre?recorded	USPĀT;	2004/04/03
		or answer\$3 or repl\$3) with (message or	US-PGPUB	19:18
		call)		
-	860	((stor\$3 or sav\$3 or cach\$3) near5	USPAT;	2004/04/03
		(remote\$2 or external\$3)) same ((response	US-PGPUB	18:01
		or prerecorded or pre?recorded or		
		answer\$3 or repl\$3) with (message or		
	205.644	call))		2224 (24 (24
-	305644	((mobile or cellular or radio or portable	USPAT;	2004/04/04
		or cell) near (phone or telephone or unit or device))	US-PGPUB;	10:55
		or device;;	EPO; JPO;	
			DERWENT; IBM TDB	
_	35	(((stor\$3 or sav\$3 or cach\$3) near5	USPAT;	2004/04/03
		(remote\$2 or external\$3)) same ((response	US-PGPUB;	18:02
		or prerecorded or pre?recorded or	EPO; JPO;	10.02
	ŀ	answer\$3 or repl\$3) with (message or	DERWENT;	
		call))) same (((mobile or cellular or	IBM_TDB	
		radio or portable or cell) near (phone or		
		telephone or unit or device)))		
-	150740	((mobile or cellular or radio or portable	USPAT;	2004/04/03
		or cell) near (phone or telephone or unit	US-PGPUB;	19:18
		or device)) with ((mobile or cellular or	EPO; JPO;	
	1	radio or portable or cell) near (phone or	DERWENT;	
		telephone or unit or device)).ab.	IBM_TDB	
-	2958	((response or prerecorded or pre?recorded	USPAT;	2004/04/03
		or answer\$3 or repl\$3) with (message or	US-PGPUB;	19:19
		call)) and (((mobile or cellular or	EPO; JPO;	
		radio or portable or cell) near (phone or	DERWENT;	
		telephone or unit or device)) with ((mobile or cellular or radio or portable	IBM_TDB	
		or cell) near (phone or telephone or unit		
	1	or device)).ab.)		
-	346	((stor\$3 or sav\$3 or cach\$3) near5	USPAT;	2004/04/03
]	(remote\$2 or external\$3)) and (((response	US-PGPUB;	19:19
		or prerecorded or pre?recorded or	EPO; JPO;	
		answer\$3 or repl\$3) with (message or	DERWENT;	
		call)) and (((mobile or cellular or	IBM TDB	
		radio or portable or cell) near (phone or	_	
	1	telephone or unit or device)) with		
		((mobile or cellular or radio or portable		
		or cell) near (phone or telephone or unit		
	<u> </u>	or device)).ab.))		

_	175	<pre>(((stor\$3 or sav\$3 or cach\$3) near5 (remote\$2 or external\$3)) and (((response or prerecorded or pre?recorded or answer\$3 or repl\$3) with (message or call)) and ((mobile or cellular or radio or portable or cell) near (phone or telephone or unit or device)) with</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 10:35
		((mobile or cellular or radio or portable or cell) near (phone or telephone or unit or device)).ab.))) and 455/\$.ccls.		
_	1707	receiv\$6 near5 call with (receiv\$6 or obtain\$5 or retriev\$5) near5 (message or data or information or response) with (third or remote\$3 or external)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/04 10:32
-	552	(receiv\$6 near5 call with (receiv\$6 or obtain\$5 or retriev\$5) near5 (message or data or information or response) with (third or remote\$3 or external)) and (third or remote\$3 or external) near3 (stor\$5 or reposit\$5 or database or memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04 10:34
_	43	((receiv\$6 near5 call with (receiv\$6 or obtain\$5 or retriev\$5) near5 (message or data or information or response) with (third or remote\$3 or external)) and (third or remote\$3 or external) near3 (stor\$5 or reposit\$5 or database or memory)) and (two or first or second) near5 (portable or mobile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05
-	18	(((receiv\$6 near5 call with (receiv\$6 or obtain\$5 or retriev\$5) near5 (message or data or information or response) with (third or remote\$3 or external)) and (third or remote\$3 or external) near3 (stor\$5 or reposit\$5 or database or memory)) and (two or first or second) near5 (portable or mobile)) and 455/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04
-	3598	<pre>((mobile or cellular or radio or portable or cell or wireless or laptop or handheld) near (phone or telephone or unit or device)) near5 (receiv\$3 near2 call)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/04
-	1953	<pre>((mobile or cellular or radio or portable or cell or wireless or laptop or handheld) near (phone or telephone or unit or device)) near5 ((receiv\$3 or request) with (response or 'prerecorded message' or announcement or OGM or 'recorded message' or greeting or 'outgoing message'))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04
-	149	((mobile or cellular or radio or portable or cell or wireless or laptop or handheld) near (phone or telephone or unit or device)) near5 (receiv\$3 near2 call)) same ((mobile or cellular or radio or portable or cell or wireless or laptop or handheld) near (phone or telephone or unit or device)) near5 ((receiv\$3 or request) with (response or 'prerecorded message' or announcement or OGM or 'recorded message' or greeting or 'outgoing message')))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/04

	75		USPAT;	2004/04/04
		portable or cell or wireless or laptop or	US-PGPUB;	11:02
	į	handheld) near (phone or telephone or	EPO; JPO;	
		unit or device)) near5 (receiv\$3 near2	DERWENT;	
		call)) same (((mobile or cellular or	IBM_TDB	
		radio or portable or cell or wireless or		
		laptop or handheld) near (phone or		
		telephone or unit or device)) near5		
	į	((receiv\$3 or request) with (response or		
		'prerecorded message' or announcement or		
		OGM or 'recorded message' or greeting or		
	570	'outgoing message')))) and 455/\$.ccls.		2004/04/05
-	570	455/403.ccls.	USPAT;	2004/04/05
	65017		US-PGPUB	09:41
-	65017	(response or prerecorded or pre?recorded	USPAT;	2004/04/05
	ł	or answer\$3 or repl\$3) with (message or	US-PGPUB	09:42
	212	call)	HCD2m.	2004/04/05
_	212	1	USPAT;	2004/04/05
	1	prerecorded or pre?recorded or answer\$3	US-PGPUB	13:02
	1707	or repl\$3) with (message or call)) (receiv\$6 near5 call with (receiv\$6 or	USPAT;	2004/04/05
-	1/0/	obtain\$5 or retriev\$5) near5 (message or	USPAT; US-PGPUB;	09:44
	1	data or information or response) with	1	09:44
		(third or remote\$3 or external))	EPO; JPO; DERWENT;	
	i	(chird of remotess of external))	IBM TDB	
	1830	(receiv\$6 near5 call with (receiv\$6 or	USPAT;	2004/04/05
	1030	obtain\$5 or retriev\$5) near5 (message or	US-PGPUB;	09:44
1		data or information or response or	EPO; JPO;	05.44
		prerecorded or pre?recorded or answer\$3	DERWENT;	
	:	or repl\$3) with (third or remote\$3 or	IBM TDB	
		external))	1011_100	
_	11		USPAT;	2004/04/05
		prerecorded or pre?recorded or answer\$3	US-PGPUB;	09:44
	1	or repl\$3) with (message or call))) and	EPO; JPO;	
		((receiv\$6 near5 call with (receiv\$6 or	DERWENT;	
		obtain\$5 or retriev\$5) near5 (message or	IBM_TDB	
		data or information or response or		
		prerecorded or pre?recorded or answer\$3		
		or repl\$3) with (third or remote\$3 or		
		external)))		
_	1	6085079.URPN.	USPAT	2004/04/05
				10:36
-	6	("4468813" "5220594" "5317624"	USPAT	2004/04/05
		"5321739" "5490201" "5592532").PN.		10:36